

Predicting Patient Outcomes with Graph Representation Learning

Emma Rocheteau*¹, Catherine Tong*², Dr Petar Veličković¹, Prof. Pietro Liò¹, and Dr Nicholas Lane^{1,2,3}
*contributed equally

¹Department of Computer Science and Technology, University of Cambridge ²Department of Computer Science, University of Oxford, ³Samsung Al Center

W3PHIAI-21 8th February, 2021

1/11

Electronic Health Records in the ICU






Diagram: Sanchez-Pinto et al. 2018

Diagnosis Information is Hard to Use




- ► The large number of possibilities make distinguishing between patterns of comorbidity difficult.
- ▶ There is a lack of data for rarer combinations.


Distribution of Diagnoses in the eICU Database



"Relatedness": Grouping Similar Patients



Graph Neural Networks (GNNs)



Graph Construction


The "relatedness" score between two patients *i* and *j* is given by:

Shared Diagnoses
$$\mathcal{M}_{ij} = a \sum_{\mu=1}^{m} \left(\mathcal{D}_{i\mu} \mathcal{D}_{j\mu} (d_{\mu}^{-1} + c) \right) - \sum_{\mu=1}^{m} \left(\mathcal{D}_{i\mu} + \mathcal{D}_{j\mu} \right)$$
(1)


where

- ▶ $\mathcal{D} \in \mathbb{R}^{N \times m}$ is a diagnosis matrix,
- N is the number of patients,
- ► *m* is the number of unique diagnoses,
- d_{μ} is the frequency of diagnosis μ ,
- ▶ a and c are tunable constants.


Hybrid LSTM-GNN Model



Results



Visualisation: LSTM-GAT* attention weights





Predicting Patient Outcomes with Graph Representation Learning

Emma Rocheteau*¹, Catherine Tong*², Dr Petar Veličković¹, Prof. Pietro Liò¹, and Dr Nicholas Lane^{1,2,3}
*contributed equally

¹Department of Computer Science and Technology, University of Cambridge ²Department of Computer Science, University of Oxford, ³Samsung Al Center

W3PHIAI-21 8th February, 2021

11/11